

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	4	((("4799176") or ("5085526") or ("5255149") or ("5051936"))).PN.	USPAT; USOCR	OR	OFF	2004/12/06 08:15
S1	0	"716"/\$.ccls. same sensor same (stop\$6 or halt\$6 or interrupt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/22 09:50
S2	0	"716"/\$.ccls. same (fail adj saf\$5 adj sensor) same (stop\$6 or halt\$6 or interrupt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/22 09:51
S3	0	"716"/\$.ccls. same (fail adj saf\$5 adj sensor) same ((threshold or set\$6) adj temperature) same (stop\$6 or halt\$6 or interrupt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/22 09:52
S4	0	"716"/\$.ccls. and (fail adj saf\$5 adj sensor) and ((threshold or set\$6) adj temperature) and (stop\$6 or halt\$6 or interrupt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/22 09:53
S5	2	((("5359236") or ("4799176"))).PN.	USPAT; USOCR	OR	OFF	2004/12/06 07:59
S6	1	("5838578").PN.	USPAT; USOCR	OR	OFF	2004/12/01 06:51
S7	735	(716/1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/12 13:02
S8	3	716/1.ccls. and sensor and (stop\$6 or halt\$6 or interrupt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 07:43
S9	34	"716"/\$.ccls. and sensor and (stop\$6 or halt\$6 or interrupt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/22 09:49
S10	25766	(sensor same temperature) and (stop\$6 or halt\$6 or interrupt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:36

S11	584	(sensor same temperature) and ((stop\$6 or halt\$6 or interrupt\$6) near (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:15
S12	5184	(sensor same temperature) and ((stop\$6 or halt\$6 or interrupt\$6) same (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:15
S13	7	"716"/\$.ccls. and (sensor same temperature) and (stop\$6 or halt\$6 or interrupt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:14
S14	3420	(sensor same temperature) and ((stop\$6 or halt\$6 or paus\$5) same (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:38
S15	228	(sensor same temperature) and ((stop\$6 or halt\$6 or paus\$6) near (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:15
S16	223	(sensor same temperature) and ((stop\$6 or halt\$6) near (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:15
S17	12	(sensor same temperature) and ((halt\$6) near (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:16
S18	26023	((fail adj safe adf sensor) same (temperature)) and (stop\$6 or halt\$6 or interrupt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:37
S19	1284	((fail adj safe adf sensor) same (temperature)) and (halt\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:37
S20	1	(fail adj safe adj sensor) and (temperature) and (halt\$6) and (respon\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:41

S21	3	(fail adj safe adj sensor) and (temperature) and (halt\$6 or stop\$6 or paus\$5) and (respon\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:43
S22	7	"716"/\$.ccls. and (sensor same temperature) and (stop\$6 or halt\$6 or paus\$5) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 08:49
S23	8	"716"/\$.ccls. and (sensor and temperature) and (stop\$6 or halt\$6 or paus\$5) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:36
S24	7	"716"/\$.ccls. and (sensor same temperature) and (stop\$6 or halt\$6 or paus\$5) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 08:52
S25	5	"716"/\$.ccls. and (sensor and temperature) and (stop\$6 or halt\$6 or paus\$5) and threshold and (exceed\$6 or over) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:37
S26	947	(integrated adj circuit) and (sensor and temperature) and (stop\$6 or halt\$6 or paus\$5) and threshold and (exceed\$6 or over) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:39
S27	27	(integrated adj circuit) and (sensor same temperature) and (stop\$6 or halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:40
S28	32	(integrated adj circuit) and (sensor and temperature) and (stop\$6 or halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:40
S29	3	(integrated adj circuit) and (sensor and temperature) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:40
S30	2	(integrated adj circuit) and (sensor same temperature) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:41

S31	3	(integrated adj circuit) and (sensor) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:41
S32	6	(integrated adj circuit) and (sens\$4) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:42
S33	4	(integrated adj circuit) and (temperature same sens\$4) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 10:44
S34	33	(integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 11:13
S35	4	((("5586270") or ("5359236") or ("5195827") or ("4789819")).PN.	USPAT; USOCR	OR	OFF	2004/01/30 11:06
S36	22	((integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921" ) and clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 11:14
S37	32	((integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921" ) and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 11:16

S38	50	((("5838578") or ("6393374") or ("6363490") or ("6316590") or ("5805403") or ("4,432,031") or ("4,442,972") or ("4,488,824") or ("5,077,491") or ("5,291,607") or ("4,789,819") or ("5,287,292") or ("5,255,149") or ("5,560,017") or ("5,440,305") or ("5,253,938") or ("4,591,855") or ("5,025,248") or ("5,064,296") or ("4,751,405") or ("5,008,771") or ("4,807,144") or ("4,779,161") or ("4,851,987") or ("4,924,112") or ("5,105,366") or ("5,453,682") or ("4,799,176") or ("5,287,292") or ("5,451,892") or ("4,787,007") or ("4,903,106") or ("4,935,864") or ("5,087,870") or ("5,149,199") or ("5,170,344") or ("5,283,631") or ("5,325,256") or ("5,359,236") or ("5,085,526") or ("5,195,827") or ("5,586,270") or ("5,189,314") or ("5,359,234") or ("5,422,832") or ("5,483,102") or ("5,838,578") or ("5,490,059") or ("5,723,998") or ("5,485,127") or ("4,893,097") or ("5,798,667"))).PN.	USPAT; USOCR	OR	OFF	2004/06/09 07:05
S39	0	intel.as. and @ad<="1993921" and (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 07:09
S40	0	((intel adj corp\$9).as.) and @ad<="1993921" and (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 07:11
S41	0	("ca.asst") and ("santa clara".asci") and @ad<="1993921" and (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 07:13
S42	0	("ca.asst") and ("santa clara".asci") and @ad<="19930921" and (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 07:13
S43	141692	sensor and @ad<="19930921" and (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 08:01

S44	15	sensor and @ad<="19930921" and (temperature) and ((intel adj corp\$9).as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 08:04
S45	288	sensor and @ad<="19930921" and (temperature) and ((motorola).as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 08:04
S46	11	sensor and @ad<="19930921" and (temperature) and ((advanced adj micro adj devices).as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 10:24
S47	7	(sensor and @ad<="19930921" and (temperature) and ((advanced adj micro adj devices).as.)) and (stop\$6 or halt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 08:06
S48	52	(sensor and @ad<="19930921" and (temperature) and ((motorola).as.)) and (stop\$6 or halt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 08:12
S49	6	(sensor with (threshold adj temperature) with (stop\$6 or halt\$5)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 10:27
S50	13	(sensor same (threshold adj temperature) same (stop\$6 or halt\$5)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 10:28
S51	194	sensor and (threshold adj temperature) and (stop\$6 or halt\$5) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 11:22
S52	20	(sensor and (threshold adj temperature) and (stop\$6 or halt\$5) and @ad<="19930921" ) and fail and safe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 11:23
S53	11	(sensor and (threshold adj temperature) and (stop\$6 or halt\$5) and @ad<="19930921" ) and (fail with safe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 11:23

S54	5	((("4789819") or ("5359236") or ("4799176") or ("5433081") or ("5452335"))).PN.	USPAT; USOCR	OR	OFF	2004/06/14 06:46
S55	1	("6501184").PN.	USPAT; USOCR	OR	OFF	2004/12/06 07:41
S56	1	("20030139035").PN.	US-PGPUB; USOCR	OR	OFF	2004/01/30 09:31
S57	0	((integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921" ) and (software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 11:14
S58	0	((integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921" ) and ((without or no) adj software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 11:15
S59	0	((integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<="19930921" ) and (without adj software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 11:16
S60	0	((fail adj safe adj sensor) same (temperature)) and ((halt\$6) same (respon\$6)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:39
S61	0	((fail adj safe adj sensor) same (temperature)) and (halt\$6) and (respon\$6) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 13:39
S62	0	(integrated adj circuit) and (fail\$5 adj safe\$1 adj sens\$5) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6 or above or over) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 06:42
S63	3	((("4789819") or ("5359236") or ("4799176"))).PN.	USPAT; USOCR	OR	OFF	2004/06/14 06:46
S64	19	((fail\$5 adj saf\$5) with (halt\$6 or stop\$6 or interupt\$6) with (temperature)) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 06:44
S65	1	("5357568").PN.	USPAT; USOCR	OR	OFF	2004/12/01 06:52

S66	0	716/1.ccls. and (fail\$5 adj saf\$5) and (halt\$6 or stop\$6 or interrupt\$6) and (temperature) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 07:45
S67	0	"716"/\$.ccls. and (fail\$5 adj saf\$5) and (halt\$6 or stop\$6 or interrupt\$6) and (temperature) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 07:44
S68	0	"716"/\$.ccls. and (fail\$5 adj saf\$5) and (halt\$6 or stop\$6 or interrupt\$6) and (temperature) and @ad<="19930921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 07:45
S69	28	716/1.ccls. and (fail\$5) and (halt\$6 or stop\$6 or interrupt\$6) and (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 07:46